

# Information Only Service Note

Supersedes:  
NONE

## L2056XA LAN Wide Dynamic Range Average Power Sensor 10 MHz - 54 GHz

Serial Numbers: ALL

Enhanced power accuracy across the 10 MHz to 15 MHz frequency range

### Parts Required:

| P/N | Description | Qty. |
|-----|-------------|------|
|-----|-------------|------|

NONE

### ADMINISTRATIVE INFORMATION

☒ Calibration Required  
☐ Calibration NOT Required

PRODUCT LINE: WN  
AUTHOR: LSL

ADDITIONAL INFORMATION:

**Situation:**

Certain customer applications require a higher power accuracy within the 10MHz to15MHz range. As such, Keysight Technologies has enhanced the power accuracy across the 10MHz to 15MHz frequency range for all U/L205xA, U/L206xA and L206xTA power sensors.

**Solution/Action:**

For those interested in this enhancement, the unit has to be returned to Keysight Technologies for recalibration, which can only be performed at the factory.  
Development of this enhancement is currently underway, with availability anticipated by October 2025.

**Revision History:**

| Date        | Service Note Revision | Author | Reason for Change |
|-------------|-----------------------|--------|-------------------|
| 17 Jul 2025 | 01                    | LSL    | As Published      |
|             |                       |        |                   |
|             |                       |        |                   |

---

---